

*When it comes to Anilox Roll Cleaning,*


*it's* **E-Z**



FROM **TECHNOFLEX**

Technoflex now offers the complete E-Z family of anilox cleaning systems.

The system, using baking soda, has been redesigned for easier operation and waste soda removal, while keeping the unique compact design.



Baking Soda Cleaning

# E-Z SYSTEM:

## WHY BAKING SODA CLEANING?

When anilox cleaning is required, there are two key factors to consider:

- Do I want to use the manual method with solutions and brushes?
- If I do, will that method *REALLY* work?

In most cases solution, creams and scrubbing will work *ONLY* for a time. However, baking soda cleaning of your rolls, will not only clean your rolls more thoroughly, but can also increase the life of the roll.

*Technoflex's fully automated E-Z system delivers precise amounts of baking soda at low pressure (normally around 12-15 psi), ensuring fast and effective cleaning without damage to your roll.*



## E-Z VAC

The **Technoflex E-Z Vac** is designed for **in-press or out-of-press** anilox roll cleaning. Our vacuum system is unlike anything in the industry. Its unique filter arrangement offers more filtration of ink and soda particles – thus eliminating air-borne dust.

- Includes a heavy solids reclaiming tank and a highly efficient filtration and vacuum system.
- Ensures a dust-free environment in your facility.
- Works with **E-Z Plus** for fully automated in or out of press anilox roll cleaning.
- Uses soft abrasive at low pressure, providing the safest and most effective cleaning available for your anilox rolls and glue rolls.
- Quality construction and designed for trouble-free operation.
- On-site training and installation available nationwide.
- Competitively priced.

## E-Z PLUS

The **Technoflex system** can be supplemented with the E-Z Plus, incorporating an automated traversing mechanism that moves the cleaning nozzle and vacuum hose along the face of the roller at a set speed, ensuring a perfect cleaning *every time!*

- Extends roll life
- Protects your investment
- Minimizes downtime
- Reduces man hours

**EASY OPERATION • WASTE SODA REMOVAL • UNIQUE COMPACT DESIGN**

## E-Z CLEANER

The Technoflex E-Z system has one of the smallest footprints of any system on the market:

Length – 4'6" (1372mm)

Width – 2'6" (762mm)

Height – 5'6" (1524mm)

The compact design allows for easy movement from machine to machine without compromising its cleaning power. . The Technoflex system also works on low pressure 8-12 psi for chrome rolls and 10-15 psi for laser engraved ceramic anilox rollers and corrugator glue rolls and is designed to work as a dry system. Water is no longer used or needed in the process.

The E-Z system is gentle enough to clean chrome gravure rolls, laser engraved or micro ceramic anilox rolls and chrome anilox rolls without the worry of damage to the surface or cells.

## Customer Testimonials

*"Awesome!!!"*

*- Department Manager,  
Major Integrated, Mid South, USA*

*"WOW! I wouldn't have believed that baking soda cleaning could have made such a vast difference to my rolls. The ink lay down is just as it was when the roll was new".*

*- Mike Bowman, Pliant Corporation,  
Washington, GA.*

*"I just wanted to let you know how happy we are with the soda cleaning system and the benefit that we have received from having it in our factory. The deep cleaning that is achieved allows us to not have to re-work our Inks to keep the density necessary to match previous print quality."*

*-Todd Crabtree, Chief Container,  
Kennesaw, GA*

*"Over the past five years I have managed two International Paper container plants and have relied heavily on a Technoflex, Inc soda blast machine as an integral part of our PM and housekeeping program. It has been an invaluable tool for meeting the increasingly demanding graphic requirements of customers in today's marketplace. Your service and technical assistance have been extremely valuable and most appreciated."*

*- General Manager, Major Integrated  
Southeast USA*



*your local representative is:*

### **TECHNOFLEX, INC.**

4000 Fambrough Drive  
Suite 5  
Powder Springs, GA 30127

Phone: 888-832-3539

Fax: 770-439-6245

Email: [sales@technoflexinc.com](mailto:sales@technoflexinc.com)

### **Other supplies offered by Technoflex, Inc.**

**Absolute:** Carbon fiber reverse angle chambered doctor blades.

**Powerwise:** Complete ink pumping and filtration systems.

**BST PRO MARK:** Video inspection, web guiding, register control and web cleaning systems.

**JB Machinery:** Infra-Red and UV Drying systems for the Post and Pre-Print corrugated markets.